

天际 TONZE



2023

PRODUCT CATALOG

Ceramic Household Appliances
Manufacturer & Exporter



Company Profile

Established in 1996, Shantou Tonze Electric Appliance Industry Co., Ltd was an inventor of the ceramic slow cooker in the world. We are the ISO9001 certificated enterprise with ten full production lines for kitchen electric appliances, which enables us to provide OEM and ODM services for home and aboard.

With strong ability of R&D, we develop a wide range of products like ceramic rice cooker, steamer, electric kettle, soup maker, juicer etc. Most of our products are sold to USA, UK, Japan, Korea, Singapore, Malaysia etc and enjoy a high reputation of good quality as we have top standard of product quality control.

Tonze focuses on health for every one and aims to bring people back to enjoy the nature of food, as well as enjoy life.



Company Development

- 1996 Tonze Electric Co.,Ltd established.
- 1999 The First Ceramic Stew Pot was invented.
- 2002 The First Ceramic Stew Seperated Pot in once-cooking was invented.
- 2004 Brand Tonze was awarded in Guangdong province.
- 2008 Tonze became one of the ceramic pot industry standard setting enterprises.
- 2011 Tonze changed to joint-stock enterprise.
- 2014 Tonze got patented for the technology of "water-sealing".
- 2015 Tonze was listed on the stock exchange in China.
- 2016 Tonze was the leading standard setting enterprises and certificated.
- 2018 Tonze invented a wide range of diversified products.
- 2021 "Enjoy Healthy and Wonderful Life" become Tonze's slogan and what Tonze strive for for our customers.

Stew Pot Series



- Multi functional for baby food, soup, bird' s nest, egg custard, soft-boiled egg, hard-boiled egg
- 0.8L ceramic pot and anti scald double handles
- Available for steaming 4 eggs for each time
- Noise reducing by 20%(about 45db)
- Micro computer touch screen control
- Available for time setting and keeping warm
- 9.5 hours preorder

DGD-8BG-A

0.8L,
220-240V,50/60HZ, 150W

Unit dimension:
187mm X 187mm X 211 mm(1pc)
20GP=3388 pcs
40GP= 7318 pcs
40HQ= 9216 pcs





DGD8-8AG

0.8L (0.5L*1+0.3L*1)
220-240V, 50/60HZ, 300W

Unit dimension:
516mm × 352mm × 615mm(6pcs)
20GP=1380pcs
40GP=2970pcs
40HQ=3360pcs

- Multi-function;
- 0.3L high borosilicate glass stew cup;
- 0.5L ceramic stew cup;
- Pre-order and time fixing cooking



- High class ceramic pot;
- Multipots for home usage;
- With steaming rack;
- Pre-order and time fixing cooking

DGD25-25AG

2.5L

220-240V, 50/60HZ, 800W

Unit dimension:

703mm × 583mm × 454mm(4pcs)

20GP=540pcs

40GP=1160pcs

40HQ=1380pcs



DGD40-40AG

4.0L

220-240V, 50/60HZ, 800W

Unit dimension:

644mm × 362mm × 508mm(2pcs)

20GP=430pcs

40GP=930pcs

40HQ=1100pcs



DGD55-55AG

5.5L

220-240V, 50/60HZ, 1000W

Unit dimension:

363mm × 363mm × 585mm(1pc)

20GP=325pcs

40GP=700pcs

40HQ=825pcs



DGD4-4PWG-A

- Professional bird's nest stewing function.
- Healthy glass stewing pot.
- Pre-order and time fixing cooking.

0.4L

220-240V, 50/60HZ, 400W

Unit dimension:

601mm × 417mm × 443mm(18pcs)

20GP=4140pcs

40GP=9090pcs

40HQ=10710pcs



DGD13-13PWG

- Multi-function for cooking;
- Two pots available;
- High quality glass pot;
- Pre-order and time fixing cooking

1.3L

220-240V, 50/60HZ, 300W

Unit dimension:

330mm × 220mm × 275mm(1pc)

20GP=1300pcs

40GP=2800pcs

40HQ=3300pcs



DGD10-10BAG

- Multi-function for cooking
- High class ceramic pot
- Pre-order and time fixing cooking

1.0L

220-240V, 50/60HZ, 300W

Unit dimension:

503mm × 503mm × 522mm(8pcs)

20GP=1500pcs

40GP=3320pcs

40HQ=3920pcs



DGD35-35EG

- Non-stick ceramic pot
- 304# stainless steel container
- 1 big pot +4 small pots for usage
- Multiple safety protection
- Pre-order and time fixing cooking

3.5L

220-240V, 50/60HZ, 600W

Unit dimension:

687mm × 365mm × 476mm(2pcs)

20GP=450pcs

40GP=962pcs

40HQ=1120pcs



DGD32-32CG

- Non-stick ceramic pot
- 304# stainless steel container
- 1 big pot +3 small pots for usage
- Multiple safety protection
- Pre-order and time fixing cooking

3.2L

220-240V, 50/60HZ, 600W

Unit dimension:

710mm × 363mm × 464mm(2pcs)

20GP=450pcs

40GP=936pcs

40HQ=1088pcs



DGD18-18CG

- Non-stick ceramic pot
- 304# stainless steel container
- 1 big pot +3 small pots for usage
- Multiple safety protection
- Pre-order and time fixing cooking

1.8L

220-240V, 50/60HZ, 400W

Unit dimension:

644mm × 362mm × 508mm(2pcs)

20GP=430pcs

40GP=930pcs

40HQ=1100pcs



DGD22-22EG

- Healthy ceramic pots
- Stainless steel shell
- Transparent cover
- Multiple protection device

2.2L

220-240V, 50/60HZ, 400W

Unit dimension:

617mm × 617mm × 454mm(4pcs)

20GP=624pcs

40GP=1316pcs

40HQ=1548pcs



DGD32-32EG

- Stainless steel inner; PP body
- Multiple ceramic pots (1big one and 3 small ones)
- Patented water sealed technology
- Microcomputer controlling system
- Buzz ringing for lacking of water

3.2L

220-240V, 50/60HZ, 600W

Unit dimension:

689mm × 352mm × 448mm(2pcs)

20GP=440pcs

40GP=1046pcs

40HQ=1176pcs



DGD32-W132B

- Patented technology of water sealing
- Double-layer structure
- 1 big pot +4 small pots for usage
- Multi-function for cooking
- 9.55h Timer and preset function
- Multiple safety protection

3.2L

220-240V, 50/60HZ, 500W

Unit dimension:

752mm × 384mm × 433mm(2pcs)

20GP=420pcs

40GP=900pcs

40HQ=1070pcs



DGD10-10PWG

- Multifunction for cooking.
- High quality glass pot.
- Adjustable for keeping warm.
- Pre-order and time fixing cooking.

1.0L
220-240V, 50/60HZ, 120W

Unit dimension:
223mm × 223mm × 263mm(1pc)
20GP=2000pcs
40GP=4300pcs
40HQ=5060pcs



DGD7-7LG

- Professional cooking for bird's nest.
- High quality glass pot.
- Cooling function for keeping food fresh.
- Pre-order and time fixing cooking.

0.7L
220-240V, 50/60HZ, 300W

Unit dimension:
796mm × 536mm × 330mm(6pcs)
20GP=1080pcs
40GP=2340pcs
40HQ=2760pcs



DGD7-7PWG

- All-glass body
- High-powered heating element;
- Pre-order and time fixing cooking

0.7L
220-240V, 50/60HZ, 800W

Unit dimension:
621mm × 419mm × 625mm(12pcs)
20GP=1920pcs
40GP=4140pcs
40HQ=4860pcs



DGD3-3PWG

- All-glass body
- High-powered heating element;
- Pre-order and time fixing cooking

0.3L
220-240V, 50/60HZ, 500W

Unit dimension:
525mm × 355mm × 570mm(12pcs)
20GP=2940pcs
40GP=6180pcs
40HQ=7380pcs



DGD18-18BG

- Non-stick ceramic pot.
- 1 big pot +2 small pots for usage.
- Multiple safety protection.
- Pre-order and time fixing cooking.

1.8L

220-240V, 50/60HZ, 300W

Unit dimension:

589mm × 589mm × 376mm(4pcs)

20GP=800pcs

40GP=1720pcs

40HQ=2000pcs



DDZ-16BW+STEAM

- Healthy ceramic pots and lids.
- 1 big pot +2 small pots for usage.
- Steaming tray available.
- microcomputer control system.
- overheating protection.

1.6L

220-240V, 50/60HZ, 400W

Unit dimension:

538mm × 538mm × 374mm(2pcs)

20GP=786pcs

40GP=1760pcs

40HQ=2040pcs



DDZ-10KD

- High class ceramic pot;
- Multifunction for porridge and soup cooking
- Pre-order and time fixing cooking
- Multiple safety protection;

1.0L

220-240V, 50/60HZ, 300W

Unit dimension:

530mm × 461mm × 445mm(8pcs)

20GP=1880pcs

40GP=4080pcs

40HQ=4720pcs



DGD15-15BG

- Multifunction for baby food cooking.
- High quality ceramic pot.
- Steaming rack available.
- Pre-order and time fixing cooking.

1.5L

220-240V, 50/60HZ, 300W

Unit dimension:

756mm × 509mm × 292mm(6pcs)

20GP=1320pcs

40GP=3060pcs

40HQ=3420pcs



DGD8-8BWG

- Multifunction for baby food cooking.
- High quality ceramic pot.
- Adjustable for keeping warm.
- Pre-order and time fixing cooking.

0.8L

220-240V, 50/60HZ, 120W

Unit dimension:

223mm × 223mm × 230mm(1pc)

20GP=2160pcs

40GP=4660pcs

40HQ=5500pcs



DGD-7BBG

- Ceramic pot and transparent cover
- High quality heater
- Microcomputer controlling
- Timer and preset available
- Overheating protection

0.7L

220-240V, 50/60HZ, 120W

Unit dimension:

600mm × 405mm × 453mm(12pcs)

20GP=2760pcs

40GP=6240pcs

40HQ=6960pcs



Electric Steamer Series

Double configuration of
mechanical model/microcomputer model,
double layers/three-layer combination.



DZG-J120A(Mechanical)



DZG-D180A(Microcomputer)



DZG-J120A

12L(2layers),
220V~50Hz, 800W

Unit dimension:
326mm X 270mm X331 mm(1pc)
20GP= 858 pcs
40GP= 1853 pcs
40HQ= 2400 pcs

- Mechanical Model, Double layers combination.
- 800W high-power heating plate, energy-gathering structure, fast steam;
- Removable PC steamer and PP steamer to visualize the cooking process;
- Built-in water storage tray, the dirty water can be separated and cleaned easily;
- The shape extends longitudinally, saving kitchen countertop space;
- The timer knob adjusts the time, easy to operate.





DZG-D180A

18L(3layers),
220V~ 50Hz, 800W

Unit dimension:
310mm X 270mm X424 mm(1pc)
20GP= 704 pcs
40GP= 1520 pcs
40HQ= 1916 pcs

- Microcomputer Model, Three-layer combination.
- 800W high-power heating plate, energy-gathering structure, fast steam;
- Removable PC steamer and PP steamer to visualize the cooking process;
- Built-in water storage tray, the dirty water can be separated and cleaned easily;
- The shape extends longitudinally, saving kitchen countertop space;
- Can be operated by touch screen, with a variety of menu functions, which can be scheduled and reserved.



DZG-40AD

4L,
220-240V, 50/60HZ, 650W

Unit dimension:

264mm X 244mm X 322 mm(1pc)

20GP= 1348 pcs

40GP= 2602 pcs

40HQ= 3278 pcs



- 3-layer capacity, multiple uses, not only can steam eggs, but also steam fish, steam vegetables, steam rice, and baby milk bottle etc;
- Knob operation easy to operate;
- The use of poly energy ring technology which narrows the heating range for speeding up steaming to save electricity;
- Food-grade materials, health and environmental protection;
- High temperature, water shortage automatic power off protection.



DZGD22C160JAW

16L (with 2.5L big pot & 0.45L small pots X4) ,
220-240V,50/60HZ, 1500W

Unit dimension:

350mm X 250mm X345 mm(1pc)

20GP=926pcs

40GP= 1788 pcs

40HQ= 2250 pcs



- 16L big capacity for steaming food but easy for overlay storage.
- 1 big ceramic pot plus 4 small pots for steaming cooking food.
- High power of 1500W for speeding steaming.
- 2-second automatically power-off when water drying up.
- 24 hours appointment setting.
- #304 stainless steel heating plate for easy cleaning.
- Multifunctional for steaming seafood, fish, ribs, corn& sweet potatoes etc.
- Function of low temperature thawing



Electric Cooker Series

DGJ10-10XD

1.0L
220-240V, 50/60HZ, 100W
Unit dimension:
216mm × 216mm × 216mm(1pc)
20GP=2480pcs
40GP=5358pcs
40HQ=6747pcs

DGJ30-30XD

3.0L
220-240V, 50/60HZ, 215W
Unit dimension:
272mm × 272mm × 278mm(1pc)
20GP=1216pcs
40GP=2625pcs
40HQ=3306pcs

DGJ20-20XD

2.0L
220-240V, 50/60HZ, 175W
Unit dimension:
242mm × 242mm × 248mm(1pc)
20GP=1720pcs
40GP=3718pcs
40HQ=4682pcs

- Ceramic liner, cooking nutrition and health.
- Stew in a slow fire, the food is nutritious and authentic.
- There are three levels of firepower adjustment: fast stewing, automatic, and heat preservation, which are simple and convenient.
- The working indicator light prompts.
- The reminder is more intuitive.



- Multi-function for cooking.
- Healthy ceramic inner pot.
- Keeping foods warm in 3-level temperature.
- Pre-order and time fixing cooking.

DGD20-20ADD

2.0L

220-240V, 50/60HZ, 175W

Unit dimension:

611mm × 313mm × 511mm(4pcs)

20GP=1060pcs

40GP=2300pcs

40HQ=2660pcs

DGD30-30ADD

3.0L

220-240V, 50/60HZ, 250W

Unit dimension:

662mm × 346mm × 612mm(4pcs)

20GP=740pcs

40GP=1620pcs

40HQ=1880pcs



DGD40-40HD

- High power heating.
- Good quality ceramic pot.
- Easy operation.
- 10 different cooking functions.
- Reheating function.
- Seasonal keeping warm function.

4.0L

220-240V, 50/60HZ, 800W

Unit dimension:

630mm × 323mm × 617mm(2pcs)

20GP=780pcs

40GP=1780pcs

40HQ=2060pcs



DGD40-40DWD

- High quality ceramic inner pot.
- One key reboiling function.
- Double layers thermal insulation housing structure.
- Multiple safety protection.

4.0L

220-240V, 50/60HZ, 600W

Unit dimension:

653mm × 334mm × 627mm(4pcs)

20GP=760pcs

40GP=1640pcs

40HQ=1900pcs



DGD30-30LD

3.0L

220-240V, 50/60HZ, 600W

Unit dimension:

609mm × 312mm × 599mm(4pcs)

20GP=980pcs

40GP=2120pcs

40HQ=2480pcs

DGD40-40LD

4.0L

220-240V, 50/60HZ, 600W

Unit dimension:

645mm × 330mm × 588mm(4pcs)

20GP=828pcs

40GP=1800pcs

40HQ=2080pcs

DGD50-50LD

5.0L

220-240V, 50/60HZ, 600W

Unit dimension:

680mm × 348mm × 623mm(4pcs)

20GP=700pcs

40GP=1500pcs

40HQ=1760pcs



- High quality ceramic inner pot.
- Multifunctions for cooking.
- Double layers structure.
- Reheating function.
- Overheating protection.



- Traditional casseroles cooking mode.
- Computerized cooking with multi-function.
- Natural ceramic pot.
- Multiple safety protection.



DGD12-12GD

1.2L

220-240V, 50/60HZ, 300W

Unit dimension:

500mm × 500mm × 458mm(8pcs)

20GP=1800pcs

40GP=3880pcs

40HQ=4600pcs

DGD20-20GD

2.0L

220-240V, 50/60HZ, 450W

Unit dimension:

609mm × 312mm × 599mm(4pcs)

20GP=1040pcs

40GP=2240pcs

40HQ=2520pcs

DGD30-30GD

3.0L

220-240V, 50/60HZ, 450W

Unit dimension:

640mm × 327mm × 473mm(4pcs)

20GP=1040pcs

40GP=2240pcs

40HQ=2520pcs

DGD25-25GD

2.5L

220-240V, 50/60HZ, 450W

Unit dimension:

311mm × 270mm × 221mm(1pc)

20GP=1580pcs

40GP=2909pcs

40HQ=3664pcs

- Transform traditional casserole cooking into household appliances, multi-functional for casserole rice, casserole dishes, refined cooking, and soup.
- High-temperature resistant ceramic liner, healthy material, not easy to crack.
- Fast stewing, shorter time, more fragrant cooking, meeting the needs of instant serving.
- Microcomputer control which can make be preset and intelligent care-free.





DGD15-15DD

- High quality ceramic pot
- Multifunction for cooking
- Pre-order and time fixing cooking
- Overheating protection device

1.5L
220-240V, 50/60HZ, 160W

Unit dimension:
530mm × 530mm × 535mm(8pcs)
20GP=1360pcs
40GP=2960pcs
40HQ=3480pcs



DGD30-30CWD DGD40-40CWD DGD50-50CWD

3.0L
220-240V, 50/60HZ, 450W

Unit dimension:
622mm × 319mm × 710mm(4pcs)
20GP=764pcs
40GP=1616pcs
40HQ=1900pcs

4.0L
220-240V, 50/60HZ, 500W

Unit dimension:
656mm × 335mm × 740mm(4pcs)
20GP=664pcs
40GP=1400pcs
40HQ=1640pcs

5.0L
220-240V, 50/60HZ, 600W

Unit dimension:
682mm × 359mm × 784mm(4pcs)
20GP=560pcs
40GP=1184pcs
40HQ=1396pcs

- Healthy ceramic pot and lid;
- Floating control heating;
- Multifunction for cooking
- 24h preset and timer cooking design
- Overheating protection;



DGD50-50DZWD

- High-quality purple clay inner pot.
- Double-layer heat-insulating shell.
- Nine major cooking functions.
- Arc-bottomed inner pot is evenly boiled and stewed.
- Cast aluminum plate floating heating control technology.

5.0L
220-240V, 50/60HZ, 600W

Unit dimension:
708mm × 370mm × 688mm(4pcs)
20GP=520pcs
40GP=1240pcs
40HQ=1440pcs



- Healthy ceramic pot and lid.
- Double layers thermal insulation housing structure.
- Multi-fuction.
- Patented technology of preventing overflow.
- Overheating protection.

DGD30-30KD DGD40-40KD DGD50-50KD

3.0L
220-240V, 50/60HZ, 400W

Unit dimension:
602mm × 310mm × 519mm(4pcs)
20GP=1060pcs
40GP=2300pcs
40HQ=2700pcs

4.0L
220-240V, 50/60HZ, 500W

Unit dimension:
632mm × 305mm × 605mm(4pcs)
20GP=880pcs
40GP=1920pcs
40HQ=2260pcs

5.0L
220-240V, 50/60HZ, 600W

Unit dimension:
646mm × 330mm × 620mm(4pcs)
20GP=786pcs
40GP=1680pcs
40HQ=2000pcs



DGD40-40ND

- High quality of clay pot.
- Micro-computer controlling.
- 3D heating technology.
- Pre-order and time fixing cooking.
- Multiple safety protection.



4.0L
220-240V, 50/60HZ, 215W

Unit dimension:
846mm × 291mm × 500mm(6pcs)
20GP=1260pcs
40GP=2724pcs
40HQ=3216pcs

DGD40-40EWD



- Healthy ceramic pot and lid.
- Microcomputer controlling for multi-function.
- Three level temperature setting.
- Double layers thermal insulation housing structure.
- Pre-set and time fixing cooking.
- Multiple safety protection.

DGD40-40EZWD



4.0L
220-240V, 50/60HZ, 280W
Unit dimension:
694mm × 350mm × 623mm(4pcs)
20GP=680pcs
40GP=1480pcs
40HQ=1720pcs

DGD20-20BD

2.0L
220-240V, 50/60HZ, 175W

Unit dimension:
750mm × 263mm × 490mm(6pcs)
20GP=1674pcs
40GP=3534pcs
40HQ=4158pcs

DGD30-30BD

3.0L
220-240V, 50/60HZ, 215W

Unit dimension:
846mm × 291mm × 500mm(6pcs)
20GP=1314pcs
40GP=2778pcs
40HQ=3264pcs

DGD40-40BD

4.0L
220-240V, 50/60HZ, 255W

Unit dimension:
589mm × 302mm × 525mm(4pcs)
20GP=1156pcs
40GP=2441pcs
40HQ=2869pcs

DGD50-50BD

5.0L
220-240V, 50/60HZ, 290W

Unit dimension:
612mm × 312mm × 561mm(4pcs)
20GP=1008pcs
40GP=2128pcs
40HQ=2501pcs



UPGRADED!
stainless
steel shell



- Healthy ceramic pot and lid.
- Multifunction for cooking.
- 24h preset and timer cooking design.
- Patented technology of dual anti-overflow.

DGD12-12DD

- Special stew pot for baby food.
- Arc-shaped inner container, boil evenly.
- Double-layer heat-insulating shell structure.
- Transparent glass cover.

1.2L
220-240V, 50/60HZ, 300W

Unit dimension:
535mm × 535mm × 506mm(8pcs)
20GP=1440pcs
40GP=3080pcs
40HQ=3600pcs



DDG-7A

- High quality ceramic pot.
- Indicator light showing.
- Overheating protection.

0.7L
220-240V, 50/60HZ, 70W

Unit dimension:
450mm × 305mm × 335mm(12pcs)
20GP=7004pcs
40GP=14868pcs
40HQ=17484pcs



DDG-7AD

- High quality ceramic pot.
- Indicator light showing.
- Overheating protection.

0.7L
220-240V, 50/60HZ, 70W

Unit dimension:
572mm × 385mm × 430mm(12pcs)
20GP=3420pcs
40GP=7212pcs
40HQ=8496pcs



UPGRADED!
stainless
steel shell



DDG-10N

1.0L
220-240V, 50/60HZ, 100W

Unit dimension:
440mm × 440mm × 408mm(8pcs)
20GP=2728pcs
40GP=5768pcs
40HQ=6784pcs

DDG-20N

2.0L
220-240V, 50/60HZ, 175W

Unit dimension:
750mm × 263mm × 490mm(6pcs)
20GP=1830pcs
40GP=3870pcs
40HQ=4554pcs

DDG-30N

3.0L
220-240V, 50/60HZ, 215W

Unit dimension:
834mm × 287mm × 494mm(6pcs)
20GP=1362pcs
40GP=2874pcs
40HQ=3384pcs

DDG-40N

4.0L
220-240V, 50/60HZ, 255W

Unit dimension:
575mm × 296mm × 515mm(4pcs)
20GP=1232pcs
40GP=2596pcs
40HQ=3056pcs

DDG-50N

5.0L
220-240V, 50/60HZ, 290W

Unit dimension:
604mm × 307mm × 557mm(4pcs)
20GP=1044pcs
40GP=2204pcs
40HQ=2596pcs

- High quality ceramic pot.
- Multifunction for cooking.
- Easy operation.
- Overheating protection device.

- Elegant apprerance.
- Ceramic pot and lid.
- Microcomputer controlling.
- Multifuctions for cooking.
- Safety protection.



天际 TONZE | Enjoy Nature of Food
Enjoy Life



DGD06-06BD

0.6L

220-240V, 50/60HZ, 100W

Unit dimension:

610mm × 411mm × 463mm(12pcs)

20GP=2640pcs

40GP=5760pcs

40HQ=6840pcs



DGJ06-06AD

- Elegant appearance.
- Ceramic pot and lid.
- Options for stewing, keeping warm.
- Safety protection.

0.6L

220-240V, 50/60HZ, 100W

Unit dimension:

610mm × 411mm × 463mm(12pcs)

20GP=2640pcs

40GP=5760pcs

40HQ=6840pcs



Rice Cooker Series



- Non-sticky ceramic pot.
- 3D floating control heating system.
- IMD panel and LED display.
- Multi-function for cooking.
- #304 stainless steel cover.
- Pre-order and time fixing cooking.
- Multiple safety protection.

FD30AE

3.0L

220-240V, 50/60HZ, 550W

Unit dimension:

675mm × 400mm × 311mm(2pcs)

20GP=642pcs

40GP=1356pcs

40HQ=1540pcs

FD40AE

4.0L

220-240V, 50/60HZ, 800W

Unit dimension:

675mm × 400mm × 335mm(2pcs)

20GP=596pcs

40GP=1260pcs

40HQ=1480pcs



FD30BE

3.0L

220-240V, 50/60HZ, 500W

Unit dimension:

370mm × 318mm × 277mm(1pc)

20GP=859pcs

40GP=1656pcs

40HQ=2086pcs



- High-temperature-resistant ceramic inner pot, natural material, healthy and non-stick.
- One-piece suspended large thread heats up, with higher power, faster and more uniform heat conduction, and more transparent rice.
- IMD large-screen touch control, richer functions.
- Exclusive rice type functions, different types of rice enjoy the same good taste, all-round temperature detection, and accurately give the temperature required for cooking rice at each stage.
- Detachable food-grade 304 stainless steel inner cover with one hand and one button
- The inner cover has a silicone integrated sealing ring, which can be cleaned directly without assembly



FD30S-W

3.0L

120V / 220-240V, 50/60HZ, 500W

Unit dimension:

379mm × 327mm × 289mm(1pc)

20GP=780pcs

40GP=1507pcs

40HQ=1898pcs

- High temperature resistant ceramic inner pot, natural material, healthy and non-stick.
- Suspension large threaded heating plate fits the inner tank for continuous and even heating, making the rice more transparent. The characteristics of ceramic materials, cook more fragrant and crispy claypot rice.
- All-round precise temperature sensing system, porridge and soup will not overflow, no supervision.
- The inner cover can be disassembled with one button, which is easy to remove and wash, and bacteria have nowhere to hide.
- IMD large-screen button control, richer functions
- 24-hour appointment function, customize three meals for a family at any time



BYQC22C40GC

4.0L

120V / 220-240V, 50/60HZ, 800W

Unit dimension:

380mm × 325mm × 297mm (1pc)

20GP=763pcs

40GP=1472pcs

40HQ=1853pcs

- Non-sticky ceramic pot.
- 3D floating control heating system.
- IMD panel and LED display.
- Multi-function for cooking.
- #304 stainless steel cover.
- Pre-order and time fixing cooking.
- Multiple safety protection.





BYQC22A12GC

1.2L, 2.5cups rice
220V, 50/60HZ, 300W

Unit dimension:

301mm × 246mm × 257mm(1pc)

20GP=1470pcs

40GP=2836pcs

40HQ=3572pcs

BYQC22A20GC

2.0L, 4cups rice
220V, 50/60HZ, 350W

Unit dimension:

325mm × 280mm × 265mm(1pc)

20GP=1160pcs

40GP=2298pcs

40HQ=2818pcs

- Ice-flame all-ceramic liner, with arc design at the bottom, heat-gathering and energy storage.
- The inner tank adopts new glaze layer technology, which has stronger non-stick performance and more convenient cleaning.
- Suspension bowl-shaped heating system, close to the inner tank, realize all-round inner tank heating.
- Six special functions, especially adding special cooking functions such as clay pot rice and nutrition porridge.
- Detachable inner cover and steam cover, easy to clean.



BYQC22A30GC

3.0L, 6cups rice
220V, 50/60HZ, 500W

Unit dimension:

385mm × 315mm × 269mm(1pc)

20GP=858pcs

40GP=1654pcs

40HQ=2084pcs





FD20S-W

- Non-sticky ceramic pot.
- 24h pre-order cooking.
- Unique temperature device for anti-over flow for soup.

2.0L

220-240V, 50/60HZ, 350W

Unit dimension:

636mm × 356mm × 553mm(4pcs)

20GP=832pcs

40GP=1820pcs

40HQ=2080pcs

- Non-sticky ceramic pot;
- 3D floating control heating system;
- IMD panel and LED display;
- 4 different rice cooking functions;
- #304 stainless steel cover;
- 24h pre-order cooking;
- Multiple safety protection.

FD20BE

2.0L

220-240V, 50/60HZ, 350W

Unit dimension:

614mm × 347mm × 520mm(4pcs)

20GP=960pcs

40GP=2100pcs

40HQ=2360pcs





- High-quality ceramic inner pot.
- Faster heat conduction.
- Multifunctional cooking.
- IMD screen touch control.
- Pre-order and time fixing cooking.
- Removable 304 stainless steel inner cover.

Unit dimension:
590mm × 351mm × 573mm(4pcs)
20GP=990pcs
40GP=2190pcs
40HQ=2550pcs

FD12S-W

1.2L
220-240V, 50/60HZ, 300W



- Non-sticky ceramic pot.
- Baby porridge cooking.
- Unique device for anti-over flow for soup.
- Multiple safety protections.



FD20D

2.0L
220-240V, 50/60HZ, 350W

Unit dimension:
590mm × 351mm × 573mm(4pcs)
20GP=840pcs
40GP=1880pcs
40HQ=2188pcs

FD30D

3.0L
220-240V, 50/60HZ, 500W

Unit dimension:
655mm × 406mm × 572mm(4pcs)
20GP=680pcs
40GP=1472pcs
40HQ=1732pcs



Multifunctional Series



DRG-J35F

- For frying, cooking, hot pot etc.
- Non-sticky.
- Easy operation.
- Adjustable firepower.

3.5L

220-240V, 50/60HZ, 1300W

Unit dimension:

525mm × 355mm × 570mm(12pcs)

20GP=2940pcs

40GP=6180pcs

40HQ=7380pcs



DRG-60A

- Mini Style.
- Blue light indicator.
- Duplex pot structure.
- 304# stainless steel container.
- Multiple safety protection.

0.6L

220-240V, 50/60HZ, 600W

Unit dimension:

528mm × 408mm × 415mm(12pcs)

20GP=3636pcs

40GP=7548pcs

40HQ=9168pcs



DRG-J10A

- One-person-enjoy hotpot.
- 304 stainless steel inner pot.
- Easy operation.
- Adjustable firepower.

1.0L

220-240V, 50/60HZ, 600W

Unit dimension:

610mm × 480mm × 540mm(18pcs)

20GP=2880pcs

40GP=6210pcs

40HQ=7380pcs



Steam Cuisine Series



DZQ-J3XD

3pcs

220-240V, 50/60HZ, 180W

Unit dimension:

609mm × 411mm × 488mm(18pcs)

20GP=3870pcs

40GP=8280pcs

40HQ=9720pcs

- For steamed egg and custard.
- Three eggs designed steaming.
- PP steamed egg rack and ceramic bowl.
- Overheating protection.





DZG-5D

- PP streamed egg rack.
- Overheating protection.

5pcs

220-240V, 50/60HZ, 200W

Unit dimension:

583mm × 351mm × 537mm(24pcs)

20GP=5880pcs

40GP=12432pcs

40HQ=14616pcs



DZG-6D

- PP streamed egg rack.
- Overheating protection.

6pcs

220-240V, 50/60HZ, 300W

Unit dimension:

643mm × 329mm × 522mm(24pcs)

20GP=5856pcs

40GP=12384pcs

40HQ=14511pcs



Mom & Baby Care Series



DGD10-10EMD

3.0L

220-240V, 50/60HZ, 150W

Unit dimension:

675mm × 400mm × 311mm(8pcs)

20GP=2160pcs

40GP=4760pcs

40HQ=5520pcs

- Baby porridge&soup function.
- Silicone anti-scalding handle.
- Microcomputer control.
- Pre-order and time fixing cooking.



40

Microcomputer steaming cup

DGD3ZG

0.3 L, four eggs 120v / 220 v, 50/60HZ 200W 198mm × 198mm × 275mm

20GP= 2590 pcs
40GP= 5008 pcs
40HQ= 6300 pcs

- Multi-functional for steaming eggs, bird's nest, and porridge cooking with automatically keeping warm;
- DIY function, which can adjust the water volume and customize cooking with different water level.
- Equipped with 0.3L high borosilicate glass stewing pot, PP egg steamer rack and lifting ring;
- PC top cover, visualization of steaming and stewing process;
- One-key operation, easier to use;



- Automatic drying & disinfection.
- Single-layer clamshell design.
- Detachable feeding bottle nipple holder.
- Air inlet filter system.
- Pre-appointment and time fixing working function.

XD-401AM

220-240V, 50/60HZ, Disinfect 600W, Drying 150W

Unit dimension:

341mm × 649mm × 375mm(2pcs)

20GP=630pcs

40GP=1350pcs

40HQ=1560pcs



- Multifunction for baby food cooking.
- High quality ceramic pot.
- Tempered glass lid.
- Quick stewing.
- Pre-order and time fixing cooking.

DGD13-13CMD

1.3L

220-240V, 50/60HZ, 300W

Unit dimension:

295mm × 295mm × 239mm(1pc)

20GP=1300pcs

40GP=2750pcs

40HQ=3250pcs



- Multi-function for cooking.
- Keeping foods warm and sterilizing.
- High-quality healthy white porcelain stewing cup.
- 24-hour pre-order and time fixing cooking.

DGD10-10AMG

1.0L

220-240V, 50/60HZ, 300W

Unit dimension:

759mm × 283mm × 641mm(8pcs)

20GP=1200pcs

40GP=2520pcs

40HQ=2850pcs



DGD10-10EZWD

1.0L
220-240V, 50/60HZ, 150W

Unit dimension:
200mm × 190mm × 190mm(1pc)
20GP=3878pcs
40GP=7478pcs
40HQ=9418pcs

- 8-hour Automatic Insulation
- Three-Stage Parenting Feeding
- Ideal for soup and porridge cooking
- High temperature resistant ceramic liner
- Electric operation, energy and time saving
- With a temperature probe to prevent porridge overflow
- Ceramic Material – Lock in Nutrients & Freshness.
- 6 menu, nutrition soup, bone broth, yogurt, BB porridge, dessert, mixed grain hot.
- Natural purple sand liner boiling, fragrant taste.
- Double layer pot body, heat insulation to prevent scalding.



SD-200AM

0.3L
220-240V, 50/60HZ, 200W

Unit dimension:
520mm × 430mm × 395mm(12pcs)
20GP=3480pcs
40GP=7560pcs
40HQ=8880pcs

- S-type 4-blade blade and 8 spoiler columns.
- 304 stainless steel blade and interface.
- 0.3L as supplementary food in small quantities.
- High borosilicate glass body.
- An extra blade available.



TND-12AM

1.2L
220-240V, 50/60HZ, 800W

Unit dimension:
520mm × 430mm × 395mm(12pcs)
20GP=1300pcs
40GP=2800pcs
40HQ=3260pcs

- 48 hours of keeping food warm.
- Multi-function for cooking.
- Double-layer pot cover design.
- Dual mode of purified water and tap water cooking.
- High borosilicate glass.
- 304 stainless steel heating plate and upper cover.
- With pot-lifting night light.



Auto Kettle Series



- Small capacity for one person.
- Multifunction for cooking.
- High quality glass pot.
- Pre-order and time fixing cooking.
- Continuous cooking after pot-lifting.
- Safety protection.

BJH-D80BW

Unit dimension:

562mm × 538mm × 430mm(12pcs)

20GP=2280pcs

40GP=5460pcs

40HQ=6000pcs



0.8L

220-240V, 50/60HZ, 800W

- High-quality borosilicate glass pot body and stewing pot.
- SUS 304# stainless steel heating plate.
- Constant temperature and multi-function.
- Tempered glass touch operation.
- Pot-lifting memory function.
- Pre-order and time fixing cooking.

BJH-D160C

1.6L

220-240V, 50/60HZ, 800W

Unit dimension:

645mm × 565mm × 535mm(8pcs)

20GP=780pcs

40GP=1710pcs

40HQ=1950pcs



- Small capacity for one person;
- Multifunction for cooking;
- High quality glass pot;
- Pre-order and time fixing cooking;
- Continuous cooking after pot-lifting;
- Safety protection;

BJH-D50EW

0.5L

220-240V, 50/60HZ, 600W

Unit dimension:

507mm × 447mm × 587mm(12pcs)

20GP=2220pcs

40GP=5340pcs

40HQ=5820pcs



ZDH-208D

- Flat bottom heating.
- Working indicator light showing.
- Power-cut-off when water is boiled.
- Wireless 360° rotating kettle body design.
- Stainless steel structure.

0.8L

220-240V, 50/60HZ, 1000W

Unit dimension:

606mm × 371mm × 361mm(12pcs)

20GP=3840pcs

40GP=8400pcs

40HQ=9780pcs



ZDH-210C

- Flat bottom heating.
- Wireless 360° rotating kettle body design.
- Working indicator light showing.
- Power-cut-off when water is boiled.
- Equipped with dry-burning power-off.
- Functions of keeping water warm.

1.0L

220-240V, 50/60HZ, 1000W

Unit dimension:

589mm × 372mm × 381mm(12pcs)

20GP=800pcs

40GP=1720pcs

40HQ=2000pcs



ZDH-215H

- Boiling water quickly.
- Easy operation.
- All-steel seamless inner tank.
- Equipped with dechlorination function.
- Dry-burning power-off and high-temperature power-off functions.

1.5L

220-240V, 50/60HZ, 1800W

Unit dimension:

666mm × 459mm × 535mm(12pcs)

20GP=1860pcs

40GP=4080pcs

40HQ=4740pcs



ZDH-215F

- Boiling water quickly, saving energy.
- One button operation.
- Plastic anti-scald shell.
- Power-cut-off when water is boiled.
- Healthier optimum food grade stainless steel.
- Dry-burning power-off and high-temperature power-off functions.

1.5L

220-240V, 50/60HZ, 1500W

Unit dimension:

606mm × 371mm × 361mm(12pcs)

20GP=2880pcs

40GP=6240pcs

40HQ=7200pcs



ZDH-217H

- 1850W for fast boiling water.
- One button operation.
- Food contact stainless steel, designed.
- Plastic anti-scalding shell.
- Dry-burning power-off and high-temperature power-off functions.

1.7L

220-240V, 50/60HZ, 1850W

Unit dimension:

780mm × 400mm × 490mm(16pcs)

20GP=2640pcs

40GP=5440pcs

40HQ=6400pcs



Blackish Green Bird Series



- Multi-function.
- Portable design.
- Pre-order and time fixing cooking.
- Strong sealing without leaking.

BJH-D60BW (B)

0.6L

220-240V, 50/60HZ, 400W

Unit dimension:

166mm × 166mm × 280mm(1pc)

20GP=2600pcs

40GP=5600pcs

40HQ=6600pcs



BJH-D60BW (A)

0.6L 220-240V, 50/60HZ, 400W 154mm × 154mm × 237mm(1pc)

20GP=2600pcs

40GP=5600pcs

40HQ=6600pcs

- 0.6 L capacity to meet the demand of one person;
- Functions of cooking, porridge, stew, health tea and personal hot pot and keeping warm;
- It takes 25 minutes to cook rice for one person;
- The inner pot is sprayed with ceramic glaze, which is not easy to stick ;
- The upper cover can be sealed, with straps on both sides for easy carrying;
- Touch control with presetting.



FHD-W09B

0.9L

220-240V, 50/60HZ, 130W

Unit dimension:

486mm × 329mm × 522mm(12pcs)

20GP=3720pcs

40GP=7980pcs

40HQ=9300pcs

- Multi-function.
- Portable design.
- Pre-order and time fixing cooking.
- Strong sealing without leaking.



Health Pot Series

- Healthy ceramic pot.
- Separated pot and base design.
- Keeping warm and preset cooking function.
- Adding water design.
- Keeping herbal ingredient design.
- Multiple safety design.



BJH-220D

2.0L
220-240V, 50/60HZ, 670W

Unit dimension:
590mm × 300mm × 658mm(4pcs)
20GP=900pcs
40GP=2060pcs
40HQ=2260pcs

BJH-300D

3.0L
220-240V, 50/60HZ, 670W

Unit dimension:
590mm × 300mm × 721mm(4pcs)
20GP=800pcs
40GP=1872pcs
40HQ=2060pcs



- Healthy ceramic pot.
- Automatical working.
- Keeping herbal ingredient design.
- Multiple safety design.



BJH-200P

2.0L

220-240V, 50/60HZ, 300W

Unit dimension:

737mm × 254mm × 556mm(6pcs)

20GP=1554pcs

40GP=3228pcs

40HQ=3918pcs

BJH-300P

3.0L

220-240V, 50/60HZ, 450W

Unit dimension:

817mm × 280mm × 600mm(6pcs)

20GP=1182pcs

40GP=2488pcs

40HQ=2976pcs



Coming Soon!

Model: PTD500QY-T1



Stock Code: 002759

天际 TONZE

CONTACT US



Facebook: 008615014309260



Whatsapp: 008615014309260



E-mail: linping@tonze.com
exp@tonze.com
zhengguili@tonze.com
tonze888@gmail.com

Shantou Tonze Eletric Appliance Industry Co.,Ltd

Add : No.12-12 block, Jinyuan Industrial City, Chaoshan Road, Guangdong, China



ISO9000

ISO14000

